

Data sheet IGNITE NEON





GENERAL

| Art. no.: | G-1153-XS/M |
|-----------|---|
| EAN: | 4030281292999 |
| Standard: | EN 358:2018 EN 361:2002 EN 813:2008 |

E-class number: Customs no.: 40-02-01-02

63079098



Data sheet IGNITE NEON

The IGNITE NEON combines everything needed for a high-quality rope access harness. It has an integrated chest ascender and its own gray loops for attaching the seat board. The built-in attachment points have the IGNITE series color concept: Bright orange for the attachment points in compliance with EN 361, grays for the positioning and sitting attachment points. The high-quality, padded waist harness can be easily adjusted, as can the flexible leg connections, which have high wearing comfort because of the dual adjustment options. Once adjusted, you can depend on it to hold the desired length. Breathable and removable padding as well as the stitched belt straps in the shoulder area prevent heavy sweating or cutting into your neck. The smallest size has two gear loops, the others have four.

- Comfortable harness for rope access applications

Integrated chest ascender with certified 140 kg
Flexible adjustment options

FEATURES

| Fall indicator | |
|--|----------------------|
| Shoulder or leg padding: | yes |
| Hand-washing: | 40 °C |
| Click buckles: | yes |
| Synthetic Slide Plate: | yes |
| Lanyard Parking-Rings: | yes |
| Gear loop: | yes |
| Max. service life: | 10 Years |
| Max. number of persons: 1 | |
| Rated load: | 140 |
| Attachment Points: | |
| dorsal attachment point, sternal attachment point, pole strap attachment point | |
| Back support: | yes |
| Temperature: | from 45 °C to -35 °C |
| Tool loop: | yes |



DIMENSIONS

| Size: | XS/M |
|-------------|-----------|
| Waist size: | 85-105 cm |
| Weight: | 3,08 kg |

MATERIAL

| Material: | | |
|---|--|--|
| Polyester, Aluminium, Steel | | |
| Webbing material: Polyester | | |
| Sternal attachment point material: | | |
| Aluminium | | |
| Pole strap attachment point material: | | |
| Aluminium | | |
| Dorsal attachment point material: | | |
| Aluminium | | |
| Restraint travelling attachment point material: | | |
| Aluminium | | |
| Climbing protection eyelet material: | | |
| Steel | | |
| Material Click buckle: Stainless Steel | | |